

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** ELMARK

**Supplier's address:** ELMARK INDUSTRIES SC, bul.Dobrudja 2, 9300 Dobrich Dobrich, BG

**Model identifier:** 98PRAGUE100/W

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	Integrated LED		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	Yes		
Anti-glare shield:	No	Dimmable:	No

## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	100	Energy efficiency class	C
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	14 448 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power ( $P_{on}$ ), expressed in W	98,9	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	71
Outer dimensions without separate control gear, lighting control	Height	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image in last page
	Width		
	Depth		

parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity coordinates (x and y)	0,378 0,381	
<b>Parameters for directional light sources:</b>				
Peak luminous intensity (cd)	6 045	Beam angle in degrees, or the range of beam angles that can be set	108	
<b>Parameters for LED and OLED light sources:</b>				
R9 colour rendering index value	-34	Survival factor	0,50	
the lumen maintenance factor	0,95			
<b>Parameters for LED and OLED mains light sources:</b>				
displacement factor (cos $\phi_1$ )	0,90	Colour consistency in McAdam ellipses	4	
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-	
Flicker metric (Pst LM)	0,5	Stroboscopic effect metric (SVM)	0,2	

(a) '-': not applicable;

(b) '-': not applicable;

# Lighting Measure Report

## Color Parameter

Chroma Coordinate:  $x=0.3782$   $y=0.3813$   $u=0.2218$   $v=0.3355$

Chroma Coordinate:  $u'=0.2218$   $v'=0.5033$

CCT: CCT=4095K Dominant:  $d=576.9\text{nm}$  Barycenter:  $b=567\text{nm}$  Peak Wavelength:  $p=446.6\text{nm}$

FWHM:  $18.95\text{nm}$  Purity:  $Pe=27.93\%$  Red Ratio:  $R=0.162$  Green Ratio:  $G=0.816$  Blue Ratio:  $B=0.022$

Color CRI:  $Ra=71.36$

R 1=68	R 2=77	R 3=85	R 4=72	R 5=68	R 6=68	R 7=80
R 8=52	R 9=-34	R 10=46	R 11=68	R 12=41	R 13=69	R 14=92
R 15=62						

## Luminosity Parameter

Luminous Flux(380-780nm):  $11228.4\text{lm}$  Optical Power(380-780nm):  $43.24\text{W}$  Efficient(380-780nm):  $113.5\text{lm/W}$



## Electric Parameter

Voltage:  $U=220\text{V}$  Current:  $I=461\text{mA}$  Power:  $P=98.9\text{W}$  PF:  $PF=0.974$

## Device State

Wavelength Range:  $380\text{nm}-780\text{nm}$  Wavelength Interval:  $1\text{nm}$

SDCM: 1.7 SDCM



Product Model: 98PRAGUE100/W

Sample No.: 1

Test Cond:  $Tg=24.2\text{Cels}$   $Ta=24.6\text{Cels}$   $RH=60\%$

Test Date: 2022-6-5

Manufacturer: WONON

Product Category: /

Measure Device: Volnic X10 Series CCD Spectrum System

Operator(Sign): \_\_\_\_\_

Model placed on the Union market from 20/11/2024.



**EPREL registration number:** 1272209

<https://eprel.ec.europa.eu/qr/1272209>

**Supplier:** ELMARK INDUSTRIES SC (Importer)

**Website:** [www.elmarkholding.eu](http://www.elmarkholding.eu)

**Customer care service:**

**Name:** ELMARK INDUSTRIES SC

**Website:** [www.elmarkholding.eu](http://www.elmarkholding.eu)

**Email:** [eelabels@elmarkholding.eu](mailto:eelabels@elmarkholding.eu)

**Phone:** +35952575545

**Address:**

bul.Dobrudja 2  
9300 Dobrich  
Bulgaria